

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. *(Currently Amended)* A chair comprising
a tubular front leg and a tubular rear leg coupled to the front leg, each leg including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and rear sides of each leg defining a depth of the leg, the laterally outer and laterally inner sides of each leg defining a width of the leg which is larger than the depth of the leg, the front side of the front leg being formed to include means for strengthening the front leg, the rear side of the rear leg being formed to include means for strengthening the rear leg, the front leg strengthening means including a only one bight extending longitudinally along the front leg and projecting outwardly from the front side of the front leg in a forward-facing direction, the rear leg strengthening means including a only one bight extending longitudinally along the rear leg and projecting outwardly from the rear side of the rear leg in a rearward-facing direction opposite to the forward facing direction.

2. *(Currently Amended)* ~~The chair of claim 1~~ A chair comprising
a tubular front leg and a tubular rear leg coupled to the front leg, each leg
including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and
rear sides of each leg defining a depth of the leg, the laterally outer and laterally inner sides of
each leg defining a width of the leg which is larger than the depth of the leg, the front side of the
front leg being formed to include means for strengthening the front leg, the rear side of the rear
leg being formed to include means for strengthening the rear leg, the front leg strengthening
means including a bight extending longitudinally along the front leg, the rear leg strengthening
means including a bight extending longitudinally along the rear leg, wherein, with respect to the
front leg, each of the laterally inner and laterally outer sides is semi-circular in cross-section, the
rear side is straight in cross-section and extends from the laterally inner side to the laterally outer
side, and the front side includes laterally inner and laterally outer portions that are co-planar in
cross-section, the laterally inner portion is straight in cross-section and extends from the laterally
inner side to the bight, the laterally outer portion is straight in cross-section and extends from the

laterally outer side to the bight, and the bight protrudes forwardly from the laterally inner and laterally outer portions.

3. *(Currently Amended)* ~~The chair of claim 1~~ A chair comprising a tubular front leg and a tubular rear leg coupled to the front leg, each leg including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and rear sides of each leg defining a depth of the leg, the laterally outer and laterally inner sides of each leg defining a width of the leg which is larger than the depth of the leg, the front side of the front leg being formed to include means for strengthening the front leg, the rear side of the rear leg being formed to include means for strengthening the rear leg, the front leg strengthening means including a bight extending longitudinally along the front leg, the rear leg strengthening means including a bight extending longitudinally along the rear leg, wherein, with respect to the rear leg, each of the laterally inner and laterally outer sides is semi-circular in cross-section, the front side is straight in cross-section and extends from the laterally inner side to the laterally outer side, and the rear side includes laterally inner and laterally outer portions that are co-planar in cross-section, the laterally inner portion is straight in cross-section and extends from the laterally inner side to the bight, the laterally outer portion is straight in cross-section and extends from the laterally outer side to the bight, and the bight protrudes rearwardly from the laterally inner and laterally outer portions.

4. *(Original)* The chair of claim 1, further comprising a leg pivot mount coupled to the rear leg and a rear side of the front leg for pivotable movement of the rear leg relative to the front leg.

5. *(Currently Amended)* ~~The chair of claim 1, further comprising~~ A chair comprising a tubular front leg and a tubular rear leg coupled to the front leg, each leg including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and rear sides of each leg defining a depth of the leg, the laterally outer and laterally inner sides of each leg defining a width of the leg which is larger than the depth of the leg, the front side of the front leg being formed to include means for strengthening the front leg, the rear side of the rear leg being formed to include means for strengthening the rear leg, the front leg strengthening means including a bight extending longitudinally along the front leg, the rear leg strengthening means including a bight extending longitudinally along the rear leg,

a seat,

a seat pivot axle coupled to the seat and the front leg for pivotable movement of the seat relative to the front leg, and

a rear leg pivoter coupled to the seat and the rear leg to pivot the rear leg relative to the front leg upon pivotable movement of the seat, wherein the seat axle extends through the laterally inner and laterally outer sides of the front leg and between the bight formed in the front side of the front leg and the rear side of the front leg, the rear leg pivoter includes a link, a first link pivot axle coupled to the link and the seat, and a second link pivot axle coupled to the link and the rear leg, and the second link pivot axle extends through the laterally inner and laterally outer sides of the rear leg and between the bight formed in the rear side of the rear leg and the front side of the rear leg.

6. *(Currently Amended)* A chair comprising

a tubular leg including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and rear sides defining a depth of the leg, the laterally outer and laterally inner sides defining a width of the leg, the width being larger than the depth, one of the front side and the rear side being formed to include a bight extending longitudinally along the leg to strengthen the leg, the front, rear, laterally outer, and laterally inner sides cooperating to define an open interior region therebetween without any web portions lying therein and interconnecting two or more of said sides.

7. *(Original)* The chair of claim 6, wherein each of the laterally inner and laterally outer sides is semi-circular in cross-section, the rear side is straight in cross-section and extends from the laterally inner side to the laterally outer side, and the front side extends from the laterally inner side to the laterally outer side and is formed to include the bight.

8. *(Currently Amended)* ~~The chair of claim 7,~~ A chair comprising

a tubular leg including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and rear sides defining a depth of the leg, the laterally outer and laterally inner sides defining a width of the leg, the width being larger than the depth, one of the front side and the rear side being formed to include a bight extending longitudinally along the leg to strengthen the leg, wherein each of the laterally inner and laterally outer sides is semi-circular in cross-section, the rear side is straight in cross-section and extends from the laterally inner side to the laterally outer side, and the front side extends from the laterally inner side to the laterally

outer side and is formed to include the bight and wherein the front side includes laterally inner and laterally outer portions that are co-planar in cross-section, the laterally inner portion is straight in cross-section and extends from the laterally inner side to the bight, the laterally outer portion is straight in cross-section and extends from the laterally outer side to the bight, and the bight protrudes forwardly from the laterally inner and laterally outer portions.

9. *(Original)* The chair of claim 6, wherein each of the laterally inner and laterally outer sides is semi-circular in cross-section, the front side is straight in cross-section and extends from the laterally inner side to the laterally outer side, and the rear side extends from the laterally inner side to the laterally outer side and includes the bight.

10. *(Currently Amended)* ~~The chair of claim 9,~~ A chair comprising a tubular leg including a front side, a rear side, a laterally outer side, and a laterally inner side, the front and rear sides defining a depth of the leg, the laterally outer and laterally inner sides defining a width of the leg, the width being larger than the depth, one of the front side and the rear side being formed to include a bight extending longitudinally along the leg to strengthen the leg, wherein each of the laterally inner and laterally outer sides is semi-circular in cross-section, the front side is straight in cross-section and extends from the laterally inner side to the laterally outer side, and the rear side extends from the laterally inner side to the laterally outer side and includes the bight, and wherein the rear side includes laterally inner and laterally outer portions that are co-planar in cross-section, the laterally inner portion is straight in cross-section and extends from the laterally inner side to the bight, the laterally outer portion is straight in cross-section and extends from the laterally outer side to the bight, and the bight protrudes rearwardly from the laterally inner and laterally outer portions.

11. *(Original)* The chair of claim 6, wherein the front side is formed to include the bight.

12. *(Original)* The chair of claim 6, wherein the rear side is formed to include the bight.

13. *(Original)* The chair of claim 6, wherein the bight is U-shaped.

14.-20. *(Canceled)*.

21. *(Currently Amended)* A chair comprising

a foldable frame including a front leg unit and a rear leg unit, the front and rear leg units being arranged to move relative to one another between folded and unfolded positions, each leg unit comprising a pair of tubular legs, each leg including a front side, a rear side, a laterally outer side extending between the front and rear sides, and a laterally inner side extending between the front and rear sides, the front side of each leg of the front leg unit being formed to include a bight extending longitudinally along the leg for strength thereof, the rear side of each front leg being formed without a bight, the rear side of each leg of the rear leg unit being formed to include a bight extending longitudinally along the leg for strength thereof, the rear side of each rear leg being formed without a bight.

22. *(Currently Amended)* ~~The chair of claim 21~~ A chair comprising

a foldable frame including a front leg unit and a rear leg unit, the front and rear leg units being arranged to move relative to one another between folded and unfolded positions, each leg unit comprising a pair of tubular legs, each leg including a front side, a rear side, a laterally outer side extending between the front and rear sides, and a laterally inner side extending between the front and rear sides, the front side of each leg of the front leg unit being formed to include a bight extending longitudinally along the leg for strength thereof, the rear side of each leg of the rear leg unit being formed to include a bight extending longitudinally along the leg for strength thereof, wherein, with respect to each front leg, each of the laterally inner and laterally outer sides is semi-circular in cross-section, the rear side is straight in cross-section and extends from the laterally inner side to the laterally outer side, the front side includes laterally inner and laterally outer portions that co-planar in cross-section, the laterally inner portion is straight in cross-section and extends from the laterally inner side to the bight, the laterally outer portion is straight in cross-section and extends from the laterally outer side to the bight, and the bight protrudes forwardly from the laterally inner and laterally outer portions.

23. *(Currently Amended)* ~~The chair of claim 21~~ A chair comprising a foldable frame including a front leg unit and a rear leg unit, the front and rear leg units being arranged to move relative to one another between folded and unfolded positions, each leg unit comprising a pair of tubular legs, each leg including a front side, a rear side, a laterally outer side extending between the front and rear sides, and a laterally inner side extending between the front and rear sides, the front side of each leg of the front leg unit being formed to include a bight extending longitudinally along the leg for strength thereof, the rear side of each leg of the rear leg unit being formed to include a bight extending longitudinally along the leg for strength thereof, wherein, with respect to each rear leg, each of the laterally inner and laterally outer sides is semi-circular in cross-section, the front side is generally straight in cross-section and extends from the laterally inner side to the laterally outer side, the rear side includes laterally inner and laterally outer portions that are co-planar in cross-section, the laterally inner portion is generally straight in cross-section and extends from the laterally inner side to the bight, the laterally outer portion is straight in cross-section and extends from the laterally outer side to the bight, and the bight protrudes rearwardly from the laterally inner and laterally outer portions.

24. *(Original)* The chair of claim 21, further comprising a chair back and a chair back mount coupled to the chair back and each front leg, wherein each chair back mount is formed to include a bight mating with the bight formed in the front leg to which the chair back mount is coupled.

25. *(Original)* The chair of claim 21, further comprising a foot coupled to a bottom portion of each leg, wherein each foot is formed to include a bight mating with the bight formed in the leg to which the foot is coupled.